

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 17, 2016

Geneza Pharmaceutical
GP Phenyl 100 (100 mg/mL)
Nandrolone Phenylpropionate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.

Test report Number **C 48758**

Object of analysis: GP Phenyl 100

Customer: AnabolicLab.com **Samples:** 1

Batch: GP137CN **Receipt:** 29.09.2016



Subject: Content, Identification Nandrolone Phenylpropionate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Nandrolone Phenylpropionate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	111.3 mg/mL	100 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
 E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures: controlled & released:  **Staff:**  **completed:** 17.11.2016


The enclosed results refer exclusively to the object of examination described above.
 The measuring accuracy is available on request. Only handwritten signatures are valid.
 Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 16.11.2016 21:51:34
 Vial: 56
 Probenidentifikation: C48758 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 17.11.2016 08:14:44
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.613	71986	0.000	0.079
	12.467	61488	0.000	0.067
	15.257	41335027	0.000	45.230
	17.297	82562	0.000	0.090
	18.907	69990	0.000	0.077
Testosterone Propionate	20.820	107070	0.000	0.117
Nandrolone phenylpropionate	23.217	49090554	0.000	53.716
Trenbolone enanthate	24.153	140829	0.000	0.154
	26.330	343592	0.000	0.376
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Methenolone Enanthate	30.850	85378	0.000	0.093
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate


0.000 BDL

Totals		91388476	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\015_C48758 A-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 16.11.2016 22:44:53 Druckdatum: 17.11.2016 08:14:46
 Vial: 56 Injektvolumen: 20
 Probenidentifikation: C48758 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	5.610	72664	0.000	0.079
	12.467	63302	0.000	0.069
	15.263	41524255	0.000	45.288
	18.920	71682	0.000	0.078
Testosterone Propionate	20.830	104251	0.000	0.114
Nandrolone phenylpropionate	23.227	49278617	0.000	53.745
Trenbolone enanthate	24.163	140975	0.000	0.154
	26.340	346023	0.000	0.377
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Methenolone Enanthate	30.863	88129	0.000	0.096
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		91689898	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\015_C48758 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 16.11.2016 23:38:10 Druckdatum: 17.11.2016 08:14:48
 Vial: 56 Injektvolumen: 20
 Probenidentifikation: C48758 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.607	72474	0.000	0.079
	12.460	62720	0.000	0.068
	15.253	41637688	0.000	45.246
	17.297	83638	0.000	0.091
	18.910	69907	0.000	0.076
Testosterone Propionate	20.817	103421	0.000	0.112
Nandrolone phenylpropionate	23.217	49421873	0.000	53.705
Trenbolone enanthate	24.150	144201	0.000	0.157
	26.330	343621	0.000	0.373
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Methenolone Enanthate	30.833	85089	0.000	0.092
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate


0.000 BDL

Totals		92024632	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\015_C48758 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 00:31:32 Druckdatum: 17.11.2016 08:14:51
 Vial: 57 Injektvolumen: 20
 Probenidentifikation: C48758 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	5.613	76065	0.000	0.079
	12.470	74216	0.000	0.077
	15.263	43473427	0.000	45.197
	18.913	90197	0.000	0.094
Testosterone Propionate	20.823	112796	0.000	0.117
Nandrolone phenylpropionate	23.217	51777032	0.000	53.830
Trenbolone enanthate	24.157	150326	0.000	0.156
	26.333	346393	0.000	0.360
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Methenolone Enanthate	30.843	86108	0.000	0.090
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		96186560	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\016_C48758 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 01:24:47 Druckdatum: 17.11.2016 08:14:53
 Vial: 57 Injektvolumen: 20
 Probenidentifikation: C48758 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	5.610	76613	0.000	0.079
	12.467	73826	0.000	0.076
	15.257	43833678	0.000	45.208
	18.910	92582	0.000	0.095
Testosterone Propionate	20.820	112849	0.000	0.116
Nandrolone phenylpropionate	23.217	52189672	0.000	53.826
Trenbolone enanthate	24.153	149472	0.000	0.154
	26.333	345232	0.000	0.356
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Methenolone Enanthate	30.850	86943	0.000	0.090
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		96960867	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\016_C48758 B-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 02:18:14 Druckdatum: 17.11.2016 08:14:55
 Vial: 57 Injektvolumen: 20
 Probenidentifikation: C48758 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.613	77077	0.000	0.080
	12.473	75038	0.000	0.078
	15.263	43711043	0.000	45.171
	17.307	72403	0.000	0.075
	18.913	92007	0.000	0.095
Testosterone Propionate	20.827	112958	0.000	0.117
Nandrolone phenylpropionate	23.220	52042463	0.000	53.780
Trenbolone enanthate	24.157	151688	0.000	0.157
	26.333	346480	0.000	0.358
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Methenolone Enanthate	30.860	87505	0.000	0.090
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate


0.000 BDL

Totals		96768662	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\016_C48758 B-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 00:36:35 Druckdatum: 14.11.2016 15:11:03
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.023	56231	0.000	0.043
	15.880	110105	0.000	0.084
	16.153	124989	0.000	0.095
	16.383	100505	0.000	0.076
	18.623	243321	0.000	0.185
Testosterone Propionate			0.000 BDL	
	21.393	2200107	0.000	1.674
	21.917	248799	0.000	0.189
Nandrolone phenylpropionate	23.043	68790852	0.000	52.334
	24.017	48801	0.000	0.037
Trenbolone enanthate			0.000 BDL	
	26.350	46422	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.700	59476590	0.000	45.248
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131446722	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 01:30:01 Druckdatum: 14.11.2016 15:11:05
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.033	54836	0.000	0.042
	15.880	111350	0.000	0.085
	16.153	126021	0.000	0.096
	16.383	102212	0.000	0.078
	18.627	242430	0.000	0.184
Testosterone Propionate			0.000 BDL	
	21.393	2208605	0.000	1.676
	21.917	251319	0.000	0.191
Nandrolone phenylpropionate	23.043	68934662	0.000	52.315
	24.020	48875	0.000	0.037
Trenbolone enanthate			0.000 BDL	
	26.350	46747	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.700	59642563	0.000	45.263
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131769620	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 02:23:23 Druckdatum: 14.11.2016 15:11:12
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	10.017	56354	0.000	0.043
	15.870	111927	0.000	0.085
	16.143	126701	0.000	0.096
	16.373	102349	0.000	0.077
	18.617	265971	0.000	0.201
Testosterone Propionate			0.000 BDL	
	21.387	2218895	0.000	1.679
	21.907	260657	0.000	0.197
Nandrolone phenylpropionate	23.037	69127398	0.000	52.314
	24.013	81276	0.000	0.062
Trenbolone enanthate			0.000 BDL	
	26.340	45973	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.690	59742433	0.000	45.211
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		132139934	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 03:16:46 Druckdatum: 14.11.2016 15:11:14
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	9.160	40643	0.000	0.031
	10.030	56145	0.000	0.043
	15.883	112157	0.000	0.085
	16.157	125518	0.000	0.095
	16.390	102263	0.000	0.077
	18.630	246083	0.000	0.186
Testosterone Propionate			0.000 BDL	
	21.400	2211311	0.000	1.675
	21.923	250745	0.000	0.190
Nandrolone phenylpropionate	23.050	69060417	0.000	52.315
Trenbolone enanthate	24.030	49641	0.000	0.038
	26.357	47484	0.000	0.036
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.707	59706968	0.000	45.229
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		132009375	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 04:10:07 Druckdatum: 14.11.2016 15:11:16
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.020	55202	0.000	0.042
	15.880	110852	0.000	0.084
	16.153	124429	0.000	0.095
	16.383	100980	0.000	0.077
	18.623	243060	0.000	0.185
Testosterone Propionate			0.000 BDL	
	21.397	2199944	0.000	1.675
	21.917	250548	0.000	0.191
Nandrolone phenylpropionate	23.047	68727693	0.000	52.325
Trenbolone enanthate	24.027	48360	0.000	0.037
	26.360	47327	0.000	0.036
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.710	59439365	0.000	45.253
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131347760	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 05:03:26 Druckdatum: 14.11.2016 15:11:18
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.023	55853	0.000	0.042
	15.880	112453	0.000	0.085
	16.153	125271	0.000	0.095
	16.387	102659	0.000	0.078
	18.627	245098	0.000	0.186
Testosterone Propionate			0.000 BDL	
	21.400	2206562	0.000	1.672
	21.923	251253	0.000	0.190
Nandrolone phenylpropionate	23.053	69064044	0.000	52.334
Trenbolone enanthate	24.027	48080	0.000	0.036
	26.360	44960	0.000	0.034
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.710	59710756	0.000	45.247
Methenolone Enanthate			0.000 BDL	

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131966989	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met